

SAFETY DATA SHEET - CALIBRATION CHECK GAS

PRODUCT: <5% CARBON MONOXIDE/≤2.5%METHANE/≤20%OXYGEN BALANCE N2 **PAGE:** 1/4
SDS NO: 030B **Version:** 7 **Date:** 29th October 2008

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

SDS NO: 030B
 Product Name: <5% Carbon Monoxide / ≤2.5%Methane / ≤20% Oxygen Balance Nitrogen in Cylinders (≥ 17 litres)
 Company Identification: See heading and/or footer

2. HAZARDS IDENTIFICATION

Hazards identification In high concentrations may cause asphyxiation.
 Compressed gas
 May impair fertility or cause harm to the unborn child
 At higher concentrations is harmful (see WEL)

3. COMPOSITION/INFORMATION OF INGREDIENTS

Substance/Preparation Preparation
 Composition/Impurities Contains no other components or impurities, which will influence the classification of the product

4. FIRST AID MEASURES

Inhalation In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim is not aware of asphyxiation. Remove victim to uncontaminated area wearing a self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.
 Ingestion Ingestion is not considered a potential route of exposure.

5. FIRE-FIGHTING MEASURES

Fire-fighting measures These containers hold gas under pressure, with no liquid phase. If involved in a major fire, they should be sprayed with water to avoid pressure increases, otherwise pressures will rise and ultimately they may distort or burst to release the contents. The gases will not add significantly to the fire, but containers or fragments may be projected considerable distances - thereby hampering fire-fighting efforts.

SAFETY DATA SHEET - CALIBRATION CHECK GAS

PRODUCT: <5% CARBON MONOXIDE/<2.5%METHANE/<20%OXYGEN BALANCE N2 **PAGE:** 2/4
SDS NO: 030B **Version:** 7 **Date:** 29th October 2008

6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures In terms of weight, these containers hold very little contents, such that any accidental release by puncturing etc. will be of no practical concern.

7. HANDLING AND STORAGE

Handling and Storage Suck back of water into the container must be prevented. Do not allow back feed into the container. Use only properly specified equipment, which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.

Cylinders should be stored upright and it is good practice to keep inert, flammables and oxidants apart. All cylinders should be stored with the regulator detached, this provides a very useful safety measure as it prevents accidental high pressure gas discharge. Store either outside or in a well ventilated area, away from ignition sources, ideally in a secure storage area.

High temperatures will cause the gas to expand resulting in a rise in pressure, the upper recommended limit is 45°C or 50°C, however, there is a large safety margin on the burst pressure. Mtech guarantees all mixtures to 0°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protection Ensure adequate ventilation
 Carbon Monoxide WEL = 30ppm (8hr TWA) 200ppm (15min TWA)
 No WEL data available for Methane or Oxygen

9. PHYSICAL AND CHEMICAL PROPERTIES

Relative density, gas Similar to air
 Solubility mg/l water Not known
 Appearance/Colour Colourless gas
 Odour None (Hence no warning odour)

10. STABILITY AND REACTIVITY

Stability and reactivity Stable under normal conditions

11. TOXICOLOGICAL INFORMATION

General Harmful by inhalation. Delayed adverse effects possible.

SAFETY DATA SHEET - CALIBRATION CHECK GAS

PRODUCT: <5% CARBON MONOXIDE/<2.5%METHANE/<20%OXYGEN BALANCE N2 **PAGE:** 3/4
SDS NO: 030B **Version:** 7 **Date:** 29th October 2008

12. ECOLOGICAL INFORMATION

General No ecological damage caused by this product.

13. DISPOSAL INFORMATION

Disposal Used containers are acceptable for disposal in the normal waste stream. A recycle tool is available from Mtech to enable a used non-refillable cylinder to be punctured and safely disposed of.

14. TRANSPORT INFORMATION

Land transport ADR/RID
 Sea transport IMDG
 Air transport ICAO/IATA

UN number:	UN1956
Proper Shipping Name:	Compressed gas n.o.s. (contains nitrogen, oxygen, carbon monoxide, methane)
Class:	2 (ADR) 2.2 (IMDG/IATA)
ADR classification code:	1A
Packing Group:	N/A
Marine Pollutant:	N/A

15. REGULATORY INFORMATION

Regulatory Information Following the HSE Approved Supply List (L142) and the UK's CHIP (as currently amended) Regulations -

Mixtures of <0.2% Carbon Monoxide are classified as non-toxic/ non-flammable.
 Mixtures of $\geq 0.2\%$ and <5% Carbon Monoxide are classified as harmful/ non-flammable.
 Mixtures of <5% Methane are classified as non-toxic/ non-flammable.



SAFETY DATA SHEET - CALIBRATION CHECK GAS

PRODUCT: <5% CARBON MONOXIDE/≤2.5%METHANE/≤20%OXYGEN BALANCE N2 **PAGE:** 4/4
SDS NO: 030B **Version:** 7 **Date:** 29th October 2008

16. OTHER INFORMATION

Mixtures containing >0.2% to ≤5% Carbon Monoxide

- | | |
|-----|---|
| R20 | Harmful by inhalation |
| R61 | May cause harm to the unborn child |
| R48 | Danger of serious damage to health by prolonged exposure through inhalation |
| S2 | Keep out of the reach of children. |
| S9 | Keep container in a well-ventilated place. |
| S53 | Avoid exposure – obtain special instructions before use |
| S45 | In case of accident or if you feel unwell seek medical advice immediately |

This SDS has been prepared in accordance with the Chemicals (Hazard Information and Packaging for Supply Regulation (as currently amended). The information is based on the best knowledge of Mtech and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for other purposes than it is intended.
